# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 2085 | 709/232.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/13 00:06 |
| L2 | 29 | "three-color marker" | US-PGPUB; USPAT | AND | ON | 2009/04/13 00:08 |
| L3 | 3177 | 370/235.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/13 00:15 |
| L4 | 2551 | 370/230.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/13 00:15 |
| L5 | 4 | 3 packet "content addressable memory" scheduler pars$ "VLAN tag" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/13 00:17 |
| L6 | 13 | 3 frame VLAN content queue (traffic with polic$3) @ad<"20031231" | USPAT | AND | ON | 2009/04/13 00:18 |
| L7 | 7 | 4 frame VLAN content queue (traffic with polic$3) @ad<"20031231" | USPAT | AND | ON | 2009/04/13 00:19 |
| S1 | 2 | "20050198258".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/01/28 01:34 |
| S2 | 3 | "7210211".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/02 01:25 |
| S3 | 35 | VLAN stack "content addressable memory" tag identifier queue stack @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:51 |

| S4 | 7 | VLAN stack "content addressable memory" tag identifier queue push @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:51 |
| S5 | 1 | VLAN stack "content addressable memory" tag identifier queue overload @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:52 |
| S6 | 44 | VLAN stack "content addressable memory" tag identifier switch @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:52 |
| S7 | 9 | VLAN stack "content addressable memory" tag identifier push @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:53 |
| S8 | 10 | VLAN stack "content addressable memory" tag identif$ push @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:53 |
| S9 | 75 | VLAN stack "content addressable memory" @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:53 |
| S10 | 93 | VLAN stack (content with address$ with memory) @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:56 |
| S11 | 147 | VLAN tag (content with address$ with memory) @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 23:00 |
| S12 | 3773 | 709/232 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:56 |
| S13 | 12265 | 709/224 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:56 |

| S14 | 6042 | 709/226 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:57 |
| S16 | 7076 | 370/392 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:57 |
| S17 | 11830 | 370/389 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:57 |
| S18 | 13 | S3 S17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:58 |
| S19 | 3 | S3 S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:58 |
| S20 | 21 | S3 S16 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 22:59 |
| S21 | 517 | (VLAN or "virtual local area network").ti. @ad<"20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/05 23:08 |
| S25 | 3 | "2003235209".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/06 01:50 |
| S26 | 4 | "2002010793".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/06 01:51 |
| S28 | 1420 | GARG.IN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/06 01:52 |

| S29 | 7 | VLAN "three color marker" @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/22 00:33 |
|-----|---|-------|------|-----|-----|------|
| S30 | 26 | VLAN stack "content addressable memory" tag identifier queue stack discard frame @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/22 00:35 |
| S31 | 78 | VLAN stack "content addressable memory" @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/22 00:36 |
| S32 | 78 | VLAN stack (content with addressable with memory) @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/22 00:36 |
| S33 | 2 | (MAC near5 preprocessor) @rlad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/01/28 01:35 |
| S34 | 25 | MAC interface (VLAN near2 (tag OR stack)) coupled "parallel processing" processor @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:48 |
| S36 | 19 | MAC interface (VLAN near2 (tag OR stack)) (coupled same parallel)processor @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:49 |
| S38 | 25 | MAC interface (VLAN near2 (tag OR stack)) (coupl$ same parallel) @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:51 |

| S39 | 23 | (MAC with interface) (VLAN near2 (tag OR stack)) (coupl $ same parallel) @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:51 |
|-----|-----|-----|-----|-----|-----|-----|
| S40 | 1 | (coupled parallel) "6681262".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:54 |
| S41 | 1948 | 709/250.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:59 |
| S42 | 9 | S34 S41 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/25 21:59 |
| S43 | 37 | frame VLAN stack "content addressable memory" tag identifier queue stack @ad< "20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/13 22:23 |
| S44 | 2 | "20050201415".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/13 22:40 |
| S45 | 12519 | Parallel data link layer controller network switching device | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/13 22:42 |
| S46 | 9 | Parallel data link layer controller network switching device | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2008/08/13 22:43 |
| S47 | 13 | (Parallel data link layer controller) and (network switching device) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2008/08/13 22:44 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S48 | 12 | NARSINH-ANEES.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:14 |
| S49 | 1402 | 370/469.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:19 |
| S50 | 11447 | "data link layer" or MAC 370/469.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:25 |
| S51 | 4045 | ("data link layer" or MAC) VLAN | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:25 |
| S52 | 814 | ("data link layer" or MAC) VLAN (network WITH switching WITH device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:27 |
| S53 | 428 | ("data link layer" or MAC) VLAN (network WITH switching WITH device) @AD< "20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:28 |
| S54 | 42 | ("data link layer" or MAC) VLAN (network NEAR switching NEAR device) @AD< "20031231" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/08/14 00:28 |
| S55 | 249 | ("data link layer" or MAC) VLAN (network WITH switching WITH device) @AD< "20031231" | USPAT | AND | ON | 2008/08/14 00:29 |
| S56 | 49 | frame VLAN content memory tag identifier queue push$ polic$ @ad< "20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:12 |
| S57 | 28 | frame VLAN content memory tag identifier queue push$ polic$ @ad< "20031231" | USPAT | AND | ON | 2008/11/16 01:14 |

| S58 | 2397 | 370/230.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:53 |
| S59 | 2959 | 370/235.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:54 |
| S60 | 976 | 709/239.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:54 |
| S61 | 8186 | 709/224.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:56 |
| S62 | 1962 | 709/232.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:56 |
| S63 | 4 | S57 S58 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:57 |
| S64 | 6 | S57 S59 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:57 |
| S65 | 38 | frame VLAN stack "content addressable memory" tag identifier queue stack @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:58 |
| S66 | 203 | frame VLAN stack "content" "memory" tag identifier queue @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:58 |

| S67 | 333 | frame VLAN "content" "memory" tag identifier queue @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 01:59 |
|-----|-----|-----|-----|-----|-----|-----|
| S68 | 57 | frame VLAN "content" "memory" tag identifier queue push @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 02:00 |
| S69 | 92 | frame VLAN "content" "memory" tag identifier queue push$3 @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 02:00 |
| S70 | 333 | frame VLAN "content" "memory" tag identifier queue @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 02:01 |
| S71 | 165 | frame VLAN content memory tag identifier queue policy @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/16 02:01 |
| S72 | 8 | ((ANEES) near2 (NARSINH)).INV. | US-PGPUB; USPAT | AND | ON | 2008/11/16 02:36 |
| S73 | 381 | ((JOHN) near2 (BAILEY)). INV. | US-PGPUB; USPAT | AND | ON | 2008/11/16 02:36 |
| S74 | 2 | "SWITCHING DEVICE" "20050198258".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:15 |
| S75 | 0 | "SWITCHING DEVICE" SOFTWARE "20050198258". pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:17 |
| S76 | 0 | SOFTWARE "20050198258". pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:17 |

| S77 | 2 | MODULE "20050198258".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:17 |
|-----|---|--------------------------|------|-----|-----|--------|
| S78 | 2 | "SWITCHING DEVICE" MODULE "20050198258".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:18 |
| S79 | 2 | "SWITCHING DEVICE" same MODULE and "20050198258".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:18 |
| S81 | 0 | "three color marker algorithm" "7161904".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:24 |
| S82 | 0 | "three-color marker algorithm" "7161904".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:27 |
| S83 | 1 | "three-color marker" "7161904".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/11 07:28 |
| S84 | 129 | frame VLAN content queue (traffic with polic$3) @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/12 03:32 |
| S85 | 68 | frame VLAN content queue (traffic with polic$3) @ad<"20031231" | USPAT | AND | ON | 2009/04/12 03:32 |
| S86 | 6738 | parser @ad<"20031231" | USPAT | AND | ON | 2009/04/12 03:39 |
| S87 | 166 | (switch$4 near device) parser @ad<"20031231" | USPAT | AND | ON | 2009/04/12 03:40 |
| S88 | 20 | (traffic with polic$3) (switch$4 near device) parser @ad<"20031231" | USPAT | AND | ON | 2009/04/12 03:41 |

| S89 | 30 | MAC interface (VLAN near2 (tag OR stack)) coupled "parallel processing" processor @ad<"20031231" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/12 03:47 |
| S91 | 120 | (traffic with polic$3) switch $4 parser @ad<"20031231" | USPAT | AND | ON | 2009/04/12 04:23 |
| S92 | 7 | (traffic with polic$3) same parser @ad<"20031231" | USPAT | AND | ON | 2009/04/12 04:24 |
| S93 | 34 | packet "content addressable memory" scheduler pars$ "VLAN tag" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/12 04:30 |

**4/13/2009 12:19:28 AM**
**C:\ Documents and Settings\ kshin\ My Documents\ EAST\ Workspaces\ 10751129.wsp**